




QUICK-STEP®  
FLOOR DESIGNERS




*Timber*

COLLECTION 2019 - 2020  
AUSTRALIA

# The start of something beautiful



VAR3446H



PAL3842H



PAL4117H





RFS4602H



COM385I



VAR3445H

## Welcome

- 04 Discover our passion for wood
- 06 Authentic beauty meets easy living
- 08 Authentic beauty that lasts a life time

## Collection

- 10 Create your own living space
- 14 Let us guide you to the perfect floor
- 16 Range overview
- 18 The details make the difference
- 20 Discover the full timber collection

## Installation

- 24 Install your floor without a hassle
- 25 Underlay is not an idle luxury

## Finishing


- 26 Finish beautifully

## Maintenance

- 28 Keep your floor in top condition


## Matching accessories guide

# Discover our passion for...



## nature

Most of our floors are PEFC certified, which endorses our use of sustainably managed forests.



## natural knots

Some of our floors have knots that are only partially filled, others have knots that are sanded by hand. All this is done to emphasize the natural beauty of the wood.



## design

We aim for the perfect balance between the type of wood, grading, colour, structure, finishing and plank size.



## authenticity

By using different treatment techniques such as fuming and special staining, each plank has a unique colour. Thanks to these treatments, we create a lively colour variation between the planks. These effects bring the authentic character of nature into your home.




## artisan characteristics

Saw cuts are tangible evidence of pure craftsmanship. The manually applied saw cuts vary both in depth, width and frequency. Not a single plank is identical!

## craftsmanship

A Variano plank consists of multiple small boards and is composed by hand, with an eye for detail.




## details

Our reclaimed look of Quick-Step Variano shows saw cuts, height differences and small gaps.



## perfect finishing

Some of our floors look as matte as untreated wood, and are also easy to maintain.



## wooden textures

A brushed finish accentuates the natural grain of the wood and creates an extra authentic feel.

# Authentic beauty meets easy living



## Maximum pleasure, easy maintenance



All Quick-Step timber floors are finished with an advanced lacquer to give your floor added resistance to wear, marks and scratches. The

new water-repellent Protect+ technology also helps to prevent water from penetrating between joints of your floor as this often makes joints look tired or stained. This helps to keep the joints between the planks looking as good as new. Thanks to the unique combination of this new technology and our authentic floor designs, you will be able to enjoy your floor's beauty for years to come.

### UNIQUE INNOVATION!

### SURFACE & EDGE PROTECT+ TECHNOLOGY

Our new Surface & Edge Protect+ technology can help to prevent mud, spilled foods and other dirt from getting stuck in the joints and texture of the wood. This will help to make your Quick-Step timber much easier to clean (to read more, see p. 8-9).

## Quick-Step Timber, the beauty of nature



Welcome the beauty of nature into your home by choosing a 100% real timber floor from Quick-Step. With a wide choice of different plank sizes and natural colours, you will find the perfect floor for your style and interior. We pay extra attention to the knots, grain and colour of the planks so you get to enjoy the warmth of a handcrafted timber floor.



## A perfectly installed floor is just a few clicks away

A timber floor that's easy to install? Quick-Step makes it possible. Whether you decide to do it yourself or have it done by a professional, your new floor can be installed in no time, thanks to the Uniclic® Multifit system. This click system enables you to click the planks together, using three different methods. Visit [www.quick-step.com.au](http://www.quick-step.com.au) for more information.

Another great advantage of Quick-Step timber floors: there's no need for post-installation work in order to start living on your floor. No sanding, no dust, no varnishing, oiling or painting. As soon as your Quick-Step Timber floor is installed, it's yours to enjoy for years to come.



### How to install your timber floor

Installing a Quick-Step Timber floor is very easy. Let us help you out with our installation videos at [bit.ly/ytquickstep](http://bit.ly/ytquickstep)

# Enjoy your timber floor worry-free thanks to its unique coating

If you're opting for a timber floor, you'll want to retain its authentic beauty for as long as you can. Timber floors from Quick-Step have been designed with exactly this in mind, and with the aim of creating warmth in the home for many years of enjoyment without worry.



## Resistance to wear and tear

Sliding chairs, high heels, children playing... floors go through a lot. All Quick-Step timber floors have an additional, high-quality protective layer of lacquer.




## For extra protection against dirty edges and joints



Thanks to the unique, moisture-repellent joint technology Edge Protect+, there's no need to worry if you spill something or while cleaning, as Edge Protect+ stops fluids from seeping into the timber and dirtying the joints, keeping the space between the planks clean and looking fresh for years to come, even with frequent cleaning.



WITHOUT EDGE PROTECT+ TECHNOLOGY



WITH EDGE PROTECT+ TECHNOLOGY

UNIQUE INNOVATION FROM 2019

SURFACE PROTECT+ TECHNOLOGY

## Cleaning your timber floor is now easier than ever

Muddy boots, chocolate sauce, wine or other dirt on your timber floor? No need to worry! Your Quick-Step timber floor with lacquer finish is now even easier to keep clean.



Surface Protect+ technology prevents dirt and grime from being trapped within the open grain of your timber floor. This means a timber floor that looks better for longer, even with repeated cleaning.

Looking for a timber floor that is easy to maintain? Quick-Step has exactly what you're looking for.



WITHOUT SURFACE PROTECT+ TECHNOLOGY



WITH SURFACE PROTECT+ TECHNOLOGY

# Create your own living space



More inspiration on  
[www.quick-step.com.au](http://www.quick-step.com.au)

A beautiful interior starts with a good foundation. Whatever your style, whatever your room, Quick-Step has the right floor: from light, sleek floors to warm brown classics and even reclaimed floors with knots and cracks.





RFS4601H



VAR3445H



PAL3562H



Did you know that Quick-Step Timber floors have **an abrasion resistance greater** than most of the competition? This is achieved through the high quality of our specially designed European lacquer and its unique application.



COM3846



PAL4118H



COM3850



RFXL3847H



RFS4603H



RFS4600H

# Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



PAL4117H

# FLOOR EXPLORER

## 3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.



Why not give it a try?  
Enter the FloorExplorer at  
[www.quick-step.com.au](http://www.quick-step.com.au)

1 SELECT A ROOM

2 CHOOSE A COLOUR

3 DEFINE YOUR STYLE



# ROOM VIEWER

## GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!  
Launch the RoomViewer at  
[www.quick-step.com.au](http://www.quick-step.com.au)



DISCOVER YOUR PERFECT FLOOR ON [WWW.QUICK-STEP.COM.AU](http://WWW.QUICK-STEP.COM.AU)

# Range overview

dimensions

## READYFLOR XL

1 strip

220 x 18.6 cm

## READYFLOR - AUSTRALIAN

1 strip

243 x 13.4 cm

## READYFLOR - INTERNATIONAL

1 strip

243 x 14.5 cm

## READYFLOR

2 strip

220 x 18.6 cm

## READYFLOR

3 strip

220 x 19 cm

## PALAZZO

1 strip

220 x 19 cm

## VARIANO

multistrip (styles may vary)

220 x 19 cm


## COMPACT

1 strip

182 x 14.5 cm

182 x 13 cm

# Product build-up



- High quality lacquer finish
- Solid hardwood face layer
- Plantation hardwood Hevea core (Compact range: HDF)
- Plantation Nordic spruce backing

thickness	grooves	build-up	pack	warranty
≍ 14 mm			6 x  = 2.455 m <sup>2</sup> *	 
≍ 14 mm			5 x  = 1.628 m <sup>2</sup> *	 
≍ 14 mm			5 x  = 1.762m <sup>2</sup> *	 
≍ 14 mm			6x  = 2.455m <sup>2</sup>	 
≍ 14 mm			6 x  = 2.508 m <sup>2</sup>	 
≍ 14 mm			6 x  = 2.508m <sup>2</sup> *	 
≍ 14 mm			6 x  = 2.508m <sup>2</sup> *	 
≍ 12.5 mm			6 x  = 1.583 m <sup>2</sup> /1.419m <sup>2</sup> *	 

**Please note:** Many 1 strip products feature shorter boards. At Quick-Step, we know that when you want a stunning 1 strip floor, you don't want it full of short boards, that's why we have produced longer boards than almost every other brand, to give you the look you want. Our balance of short boards adds authenticity to your floor. This costs a little more, but looks so much better. Another great reason to buy a Quick-Step floor.

\* up to 6 shorter boards per pack



All timber ranges are PEFC certified, except ReadyFlor, which is sourced from sustainable forestry

# The details make the difference

Each timber floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.

## Types of wood



### Blackbutt

Blackbutt is an Australian hardwood with excellent hardness. It may contain prominent gum veins, insect marks as well as some fine surface cracks. Not recommended with heated subfloors



### Tasmanian Oak

Tasmanian Oak is a blend of pink/straw coloured hardwood species of moderate hardness from Tasmania. Some small surface splits or surface checks are an occasional characteristic of Tasmanian Oak.



### Spotted Gum

Spotted Gum is an Australian hardwood with wide colour variation and excellent hardness. It may contain some fine surface cracks. This wood species is not recommended with heated subfloors.



### Sydney Blue Gum

Sydney Blue Gum is an Australian hardwood with wide colour variation and excellent hardness.



### Jarrah

Jarrah is a very durable hardwood from WA, which ranges in colour from pale pink/grey to deep reds. It will darken, turning a deeper red and more uniform in colour.



### Oak

European Oak is extremely popular and ranges in colour from pale straw to mid brown. Knots and medullary rays are a real feature of this stunning hardwood..



### Merbau

Merbau is a reddish brown hardwood of excellent durability from South East Asia. It often contains a small yellowish fleck in the grain.

## \*Hardness Janka rating



The rating is a measure of the resistance of the wood to indentation. The higher the number, the more indentation resistant the timber.

## Finishing

All Quick-Step Timber floors are prefinished in the factory, which means no oiling or lacquering is needed directly after installation.

### Lacquered finish


 Extra matt

 Matt

 Low Sheen

 Gloss

- 7 layers of protective lacquer.
- Highly scratch and wear resistant.
- Protects against household chemicals.
- Easy to clean timber floor.



### Masters of our craft



At Quick-Step, we're passionate about the beauty of wood. That's why we only use the finest wood for our timber floors. We work with traditional, high-quality materials and handle them with the greatest care and attention, yet we never cease to innovate when it comes to interior design. Learn more about our passion on page 4 - 5.

## Grading

All Australian wood varieties are graded as per AS2796 Standard and better. This grade includes knots, gum veins, fine cracks, and other natural features of Australian Eucalypts. For oak we have a unique grading system that sorts our floors into three different categories. It gives you an idea of how your floor will look. Quick-Step Oak flooring is available in 1 of 3 grades:



### Nature

Wood with small knots. Light variation in colour and structure.



### Marquant

Wood with large knots. Lively variation in colour and structure.



### Vibrant

Wood with large knots and small cracks. Lively variation in colour and structure with a rustic appearance.

	Nature	Marquant	Vibrant
COLOUR	Natural colour	Lively variation	Lively variation
KNOTS	Max. 20 mm	Max. 50 mm	Max. 80 mm
CRACKS	Not allowed	Not allowed	

## Treatment



### Brushed Deep Brushed

Brushing accentuates the natural grain structure of the timber plank and adds depth.



### Saw cuts

Random saw marks show the craftsmanship and character of the timber planks.



### Timeworn

Sloping, slightly worn edges create an aged look. End bevels will show natural variations



### Natural knots

On some floors the knots are not fully filled. Some of them are even manually sanded to emphasize the liveliness of the wood.



### Reclaimed look

Our Variano floors are designed with a reclaimed look: showing saw cuts, height differences and small gaps. See p. 23.



### Design colours

By using different treatment techniques such as fuming and staining, each plank has a unique colour.

## READYFLOR XL

The widest & longest Australian timber planks  
Grading per AS2796 standard and better

**RFXL**  
220 x 18.6 cm ≙ 14 mm



  
**MATT BRUSHED BLACKBUTT 1 STRIP\***  
RFXL3847H



  
**MATT BRUSHED SPOTTED GUM 1 STRIP\***  
RFXL3848H



RFXL3847H

## READYFLOR 1 STRIP

Stunning floors made from some of the world's finest hardwoods."

**RFS**  
243 x 13.4 (Merbau 14.5) cm ≙ 14 mm



  
**TASMANIAN OAK 1 STRIP**  
RFS4602H



  
**BLACKBUTT 1 STRIP**  
RFS4600H



  
**MATT BRUSHED BLACKBUTT 1 STRIP**  
RFS4605H



  
**SPOTTED GUM 1 STRIP**  
RFS4601H



  
**MATT BRUSHED SPOTTED GUM 1 STRIP**  
RFS4606H



  
**SYDNEY BLUE GUM 1 STRIP**  
RFS4604H



  
**MERBAU 1 STRIP**  
RFS4599H



  
**JARRAH 1 STRIP**  
RFS4603H

## READYFLOR 2 STRIP

Stunning floors made from some of the world's finest hardwoods.

**RFD**  
220 x 18.6 cm ≙ 14 mm



**TASMANIAN OAK 2 STRIP**  
RFD4602H



**BLACKBUTT 2 STRIP**  
RFD4600H



**MATT BRUSHED BLACKBUTT 2 STRIP**  
RFD4605H



**SPOTTED GUM 2 STRIP**  
RFD4601H



**MATT BRUSHED SPOTTED GUM 2 STRIP**  
RFD4606H



**SYDNEY BLUE GUM 2 STRIP**  
RFD4604H



**MERBAU 2 STRIP**  
RFD4599H



**JARRAH 2 STRIP**  
RFD4603H

## READYFLOR 3 STRIP

Stunning floors made from some of the world's finest hardwoods.

**RFT**  
220 x 19 cm ≙ 14 mm



**TASMANIAN OAK 3 STRIP**  
RFT4602H



**BLACKBUTT 3 STRIP**  
RFT4600H



**SPOTTED GUM 3 STRIP**  
RFT4601H



**SYDNEY BLUE GUM 3 STRIP**  
RFT 4604H



**MERBAU 3 STRIP**  
RFT4599H



**JARRAH 3 STRIP**  
RFT4603H

Treatment: Brushed Deep brushed Saw cuts Timeworn Natural knots Reclaimed look Design colours

Finishing: Extra matt Matt Low sheen Gloss | Bevels:

# PALAZZO

Elegant oak planks

**PAL**  
220 x 19 cm ≡ 14 mm



  
**FROZEN OAK EXTRA MATT**  
PAL3562H  
VIBRANT



  
**PURE OAK MATT**  
PAL1341H  
NATURE



  
**VINTAGE OAK MATT**  
PAL1344H  
MARQUANT



  
**WINTER STORM OAK EXTRA MATT**  
PAL3842H  
MARQUANT



  
**METALLIC OAK EXTRA MATT**  
PAL4118H  
VIBRANT



  
**FOSSIL OAK MATT**  
PAL1342H  
NATURE



  
**LIMED GREY OAK MATT**  
PAL1345H  
MARQUANT



  
**OLD GREY OAK MATT**  
PAL1346H  
MARQUANT



  
**CLAY BROWN OAK EXTRA MATT**  
PAL4117H  
VIBRANT



  
**Mocca OAK MATT**  
PAL1348H  
MARQUANT



PAL1346H



Remember that every timber floor is different, and will always vary from any images or samples in colour grain and features. The illustrated patterns and colours are only an image and not a full overview of all the different nuances within the natural unique design of a timber floor. For a representative view of the surface structure and variation of a plank, take a look at the big samples on display and ask your retailer for more advice.

# VARIANO

Unique planks with a reclaimed look and pattern

**VAR**  
220 x 19 cm ≙ 14 mm



**PAINTED WHITE OAK EXTRA MATT**  
VAR3445H  
MARQUANT



**CHAMPAGNE BRUT OAK EXTRA MATT**  
VAR3446H  
MARQUANT



**ROYAL GREY OAK EXTRA MATT**  
VAR3447H  
MARQUANT



**ESPRESSO BLEND OAK EXTRA MATT**  
VAR3448H  
MARQUANT

# COMPACT

Planks with a renovation friendly thickness

**COM (OAK)**  
182 x 14.5 cm ≙ 12.5 mm

**\*COM (AUSTRALIAN)**  
182 x 13 cm ≙ 12.5 mm



**WINTRY FOREST OAK EXTRA MATT**  
COM3845  
MARQUANT



**CREAMY WHITE OAK EXTRA MATT**  
COM3851  
MARQUANT



**PURE OAK EXTRA MATT**  
COM3849  
MARQUANT



**NATURAL OAK EXTRA MATT**  
COM3844  
MARQUANT



**CLIFF GREY OAK EXTRA MATT**  
COM3850  
MARQUANT



**SLATE GREY OAK EXTRA MATT**  
COM3846  
MARQUANT



**BLACKBUTT**  
COM3858  
PER AS2796 STANDARD AND BETTER



**SPOTTED GUM**  
COM3859  
PER AS2796 STANDARD AND BETTER

Treatment: Brushed Deep brushed Saw cuts Timeworn Natural knots Reclaimed look Design colours

Finishing: Extra matt Matt Low sheen Gloss | Bevels:

## STEP 1 INSTALLATION

# Install your floor without a hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® Multifit click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under doors.

### 1 Effortless installation, thanks to the Uniclic® Multifit click system

Quick-Step is the inventor of the Uniclic® Multifit installation system, today the standard click-to-install system. Use this revolutionary and patented click system to effortlessly click your floor planks together.



### 2 Install your floor anywhere, even on floor heating

Quick-Step Timber floors are perfect for installing over floor heating when combined with the right underlay. Some species are not suitable, see page 18.

### 3 Watch the videos

See for yourself how easy it is to install a Quick-Step floor in our installation videos. Discover them on [www.quick-step.com.au](http://www.quick-step.com.au).

## Installation tools

Install your timber floor in an easy and professional way with the handy Quick-Step installation tools.



Quick-Step®  
**HANDSAW**

Handy handsaw used to undercut door frames.



Quick-Step®  
**INSTALLATION KIT**

Includes a special Uniclic® tapping block, pulling tool and spacing wedges.



For a perfect installation, check out the installation videos on [www.quick-step.com.au](http://www.quick-step.com.au)



# Underlay is not an idle luxury



## CLICK on timber

Installing your timber floor is easy thanks to the patented Uniclic® Multifit click system. A good underlay has a major impact on the final look, walk sound, quality and comfort of your Quick-Step Timber floor.

- Maintain their initial thickness over the years and provide excellent acoustic insulation, keeping your floor quieter underfoot.
- Levels and helps to prevent small irregularities.
- Comes with a self-adhesive strip and a pre-integrated damp proof membrane (DPM) which protects your floor from rising damp, with a water vapour resistance of greater than  $SD > 75m$ , meeting all European recommendations.
- Suitable for floor heating and/or cooling.
- Offers a stable base which supports your floor in instances of dropped items or temporary heavy loads.



### Quick-Step® COMBI-LAY STANDARD

Contents:  
1 roll = 20 or 50 m<sup>2</sup>  
Thickness: 2 mm

Combi-Lay Standard is no normal underlay. The dense, closed cell polyolefin foam provides excellent support, with good reduction of both reflected and impact noise.



### Quick-Step® QUIET-STEP COMBI-LAY

Contents:  
1 roll = 20 or 50 m<sup>2</sup>  
Thickness: 2 mm

Quiet-Step Combi-Lay is the first choice where a quiet walking sound and maximum reduction in multi-storey noise is required. This high density underlay has no match when it comes to reducing foot fall noise, with a reduction of up to 30% over standard underlays. Ideal for installation in multi-storey apartments where noise transfer can be an issue.



For the best results always start with a level subfloor. Make sure it's completely dry as well. **For more advice about preparing your subfloor, visit [www.quick-step.com.au](http://www.quick-step.com.au) or your local Quick-Step retailer.**



## GLUE

Quick-Step Timber can also be glued down using Quick-Step Parquet Adhesive.

- Spreads easily and guarantees great adhesion.
- Suitable for floor heating and/or cooling.

**Please note:** Contact your Quick-Step retailer for more details on gluing a Quick-Step Timber floor.



## STEP 2 FINISHING

# Finish beautifully

Finish your floor beautifully with the Quick-Step scotia and profiles.


## Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. The same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the special cutter supplied in every Incizo pack.

### Quick-Step® Incizo®: five questions, one answer




1 How can I join two floors of the same height?




Use the Incizo® profile cut as an expansion profile.

2 How can I solve variations in height from one floor to another?




Use the Incizo® profile cut as an adapter profile.

3 How do I finish my floor along a wall or a window?



Use the Incizo® profile cut as an end profile.

4 How can I connect my floor to a carpet, and have a beautiful finish?



Use the Incizo® profile cut as a transition profile.



COM3845



For safety reasons, always glue the floor panels on the stairs of your staircase.

## 5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice using the Incizo® profile as a stair nose. Remember to order the Incizo aluminium sub-profile for stair installations.



Quick-Step®  
**INCIZO® PROFILE**  
QSWINCP(-)  
215 cm x 5.4 cm x 1.7 cm  
Contents: 1 Incizo®, 1 cutter, 1 plastic rail, screws and plugs

Quick-Step®  
**INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS**  
NEWINCPBASE(-)  
215 cm x 1.9 cm x 7.35 cm  
To be ordered separately.  
The Incizo® stairs finishing cannot be used for commercial applications.



Discover our installation videos on [www.quick-step.com.au](http://www.quick-step.com.au)

## Scotia



QSWSCOT(-)



Quick-Step®  
**SCOTIA**  
240 x 1.7 x 1.7 cm

The veneer timber scotia is perfect for covering expansion gaps along skirting boards.

## Skirting



QSFLESKR

Quick-Step®  
**FLEXIBLE SKIRTING**  
700 x 1.4 x 4 cm (to be cut to the desired length)

A beautiful finish for round pillars or curved walls.

## STEP 3 CLEANING

# Keep your floor in top condition



QSSPRAYKIT

### Quick-Step® CLEANING KIT

Contents: mop holder, washable microfibre mop,  
Quick-Step Cleaning product 1000 ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind.

Also available separately:

### Quick-Step® CLEANING PRODUCT 1000 ML

QSCLEANING1000

### Quick-Step® CLEANING MOP

QSSPRAYMOP



### Quick-Step® REPAIR KIT

QSREPAIR

Contents: melting knife, cleaning comb,  
7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit. Simply recreate the colour of your damaged planks with one of the seven wax pieces selected to cover all Quick-Step colours. Check the specific colour combination for your floor on [www.quick-step.com.au](http://www.quick-step.com.au)



Check the specific colour combination for your floor  
on [www.quick-step.com.au](http://www.quick-step.com.au)



Tips to keep your floor in top condition: Placing dirt trapping mats at external entrances and felt floor protectors under all furniture is recommended. Where possible, use rubberised castors and wheels designed for hard flooring and vinyl chair mats under castor wheels and office chairs. Remove small stones and grit with a soft bristle broom or vacuum to help prevent scratching. Quick-Step Timber should also be protected from excessive heat and sunlight. The use of steam mops and stiletto heels should also be avoided at all times. For regular maintenance, use the Quick-Step Timber Cleaning Kit for best results. (For full maintenance guidelines go to [www.quick-step.com.au](http://www.quick-step.com.au))

## There is no substitute for quality




When looking at any pre-finished timber floor it is important to pay serious attention to the wear resistance of the coatings used. After all, it is the coating that will afford protection to the timber surface of your floor and the better the quality of the finish used, the longer your floor will look its very best.

Wear resistance, or abrasion resistance, is tested using a taber abrasion machine that simulates day to day wear of the coating system. Taber testing is universally recognised as the best testing method to evaluate the wear performance of a floor covering. In essence, the better the abrasion resistance, the longer your floor will hold its initial gloss level and the longer the coating will last before wearing through to raw timber.

Most competitors use a standard "off the shelf" finish that wears reasonably well, but that's simply not good enough for the designers at Quick-Step.

SRT Finish is a specifically formulated, high performance lacquer that has been developed in Europe and used on all lacquered Quick-Step Timber floors. Laboratory tests clearly demonstrate that Quick-Step's SRT Finish outperforms the competitors, ensuring that when you choose a Quick-Step floor, you are selecting a timber floor with only the best available pre-finished coatings available. What's more, SRT is able to be re-coated using a wide selection of local finishes, meaning trouble free maintenance when it comes time to replenish the coated surface of your floor in years to come.

## A heart for nature



Wood is one of very few renewable source material for floor coverings and for many years Quick-Step has gone the extra mile to limit the environmental impact of its activities. All the wood used to manufacture our engineered timber floors is sourced from sustainably managed forests. Moreover, our glue and lacquer meet the strictest international emission norms and we only work with efficient and durable production processes. All of this means you can simply enjoy your timber floor knowing it was made with respect for the environment and your family's health.

- ☑ More than 75% recycled, sustainable wood
- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production

# Matching Accessories Guide

Flawlessly matching accessories are available in all Quick-Step timber products. Quick-Step is committed to perfecting all aspects of flooring by meticulously colour-matching trims and profiles for all applications including stairs across all timber ranges.

Product code	Product description	Quick-Step Scotia More info see page 27	Quick-Step Incizo® More info see page 26-27
<b>ReadyFlor XL 1-strip</b>			
<b>RFXL3847H</b>	BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
<b>RFXL3848H</b>	SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>

<b>ReadyFlor 1-strip</b>			
<b>RFS4599H</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>
<b>RFS4600H</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
<b>RFS4601H</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
<b>RFS4602H</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
<b>RFS4603H</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
<b>RFS4604H</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>
<b>RFS4605H</b>	MATT BRUSHED BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
<b>RFS4606H</b>	MATT BRUSHED SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>

<b>ReadyFlor 2-strip</b>			
<b>RFD4599H</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>
<b>RFD4600H</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
<b>RFD4601H</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
<b>RFD4602H</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
<b>RFD4603H</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
<b>RFD4604H</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>
<b>RFD4605H</b>	MATT BRUSHED BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
<b>RFD4606H</b>	MATT BRUSHED SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>

<b>ReadyFlor 3-strip</b>			
<b>RFT4599H</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>
<b>RFT4600H</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
<b>RFT4601H</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
<b>RFT4602H</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
<b>RFT4603H</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
<b>RFT4604H</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>

Product code	Product description	Quick-Step Scotia More info see page 27	Quick-Step Incizo® More info see page 26-27
--------------	---------------------	--	--

#### Palazzo

<b>PAL1341H</b>	PURE OAK MATT	<b>QSWSCOT01341</b>	<b>QSWINCP01341</b>
<b>PAL1342H</b>	FOSSIL OAK MATT	<b>QSWSCOT01342</b>	<b>QSWINCP01342</b>
<b>PAL1344H</b>	VINTAGE OAK MATT	<b>QSWSCOT01344</b>	<b>QSWINCP01344</b>
<b>PAL1345H</b>	LIMED GREY OAK MATT	<b>QSWSCOT01345</b>	<b>QSWINCP01345</b>
<b>PAL1346H</b>	OLD GREY OAK MATT	<b>QSWSCOT01346</b>	<b>QSWINCP01346</b>
<b>PAL1348H</b>	MOCCA OAK MATT	<b>QSWSCOT01348</b>	<b>QSWINCP01348</b>
<b>PAL3562H</b>	FROZEN OAK EXTRA MATT	<b>QSWSCOT03562</b>	<b>QSWINCP03562</b>
<b>PAL3842H</b>	WINTER STORM OAK EXTRA MATT	<b>QSWSCOT03842</b>	<b>QSWINCP03842</b>
<b>PAL4117H</b>	CLAY BROWN OAK EXTRA MATT	<b>QSWSCOT04117</b>	<b>QSWINCP04117</b>
<b>PAL4118H</b>	METALLIC OAK EXTRA MATT	<b>QSWSCOT04118</b>	<b>QSWINCP04118</b>

#### Variano

<b>VAR3445H</b>	PAINTED WHITE OAK EXTRA MATT	<b>QSWSCOT01629</b>	<b>QSWINCP01629</b>
<b>VAR3446H</b>	CHAMPAGNE BRUT EXTRA MATT	<b>QSWSCOT01630</b>	<b>QSWINCP01630</b>
<b>VAR3447H</b>	ROYAL GREY OAK EXTRA MATT	<b>QSWSCOT01631</b>	<b>QSWINCP01631</b>
<b>VAR3448H</b>	ESPRESSO BLEND OAK EXTRA MATT	<b>QSWSCOT01632</b>	<b>QSWINCP01632</b>

#### Compact

<b>COM3844</b>	NATURAL OAK EXTRA MATT	<b>QSWSCOT01334</b>	<b>QSWINCP01334</b>
<b>COM3845</b>	WINTER FOREST OAK EXTRA MATT	<b>QSWSCOT01340</b>	<b>QSWINCP01340</b>
<b>COM3846</b>	SLATE GREY OAK EXTRA MATT	<b>QSWSCOT03846</b>	<b>QSWINCP03846</b>
<b>COM3849</b>	PURE OAK EXTRA MATT	<b>QSWSCOT01341</b>	<b>QSWINCP01341</b>
<b>COM3850</b>	CLIFF GREY OAK EXTRA MATT	<b>QSWSCOT03017</b>	<b>QSWINCP03017</b>
<b>COM3851</b>	CREAMY WHITE OAK EXTRA MATT	<b>QSWSCOT03098</b>	<b>QSWINCP03098</b>
<b>COM3858</b>	BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
<b>COM3859</b>	SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>

# Timber

COLLECTION 2019 - 2020



### Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on [www.quick-step.com.au](http://www.quick-step.com.au)



### Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installers offer a lifetime installation warranty. Find a Master Installer in your area on [www.quick-step.com.au](http://www.quick-step.com.au)



### Quick-Step® is brought to you by Premium Floors Australia

New South Wales	Tel.: (02) 9982 3777
Victoria & Tasmania	Tel.: (03) 9798 0808
Queensland	Tel.: (07) 3273 3111
South Australia & Northern Territory	Tel.: (08) 8262 8666
Western Australia	Tel.: (08) 9240 1966
Commercial division	Tel.: (03) 9798 0808

Your Quick-Step® point of sale



[www.quick-step.com.au](http://www.quick-step.com.au)

### FOLLOW US ON

[www.facebook.com/QuickStepFloors](https://www.facebook.com/QuickStepFloors) [www.youtube.com/quickstepfloor](https://www.youtube.com/quickstepfloor) [www.youtube.com/PremiumFloorsAU](https://www.youtube.com/PremiumFloorsAU)  
 [plus.google.com/+quickstep](https://plus.google.com/+quickstep) [www.pinterest.com/quickstepfloor](https://www.pinterest.com/quickstepfloor) [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO PALL1342H.  
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.  
Content © 2019-2020 by UNILIN bvba – division Flooring.  
All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.